

SOPHOS

Cybersecurity
made
simple.

Sophos Mobile super administrator guide

product version: 9.6

Contents

About this guide.....	1
Super administrator.....	2
Super administrator tasks.....	2
Super administrator customer.....	3
Log in as super administrator.....	3
Switch to a different customer.....	3
Create additional super administrators.....	3
Sophos Mobile licenses.....	5
Check your licenses.....	5
Activate Mobile Advanced licenses.....	5
Assign licenses to customers.....	6
Configure system settings.....	7
Configure IT contact.....	9
Manage customers.....	10
Customer overview.....	10
Create a customer.....	11
Create an administrator for the new customer.....	12
Edit customer.....	12
Configure external directory connection.....	13
Deactivate customer.....	15
Delete customer.....	15
Export a list of customers.....	15
Reports.....	16
Manage configuration items.....	17
Clone configuration items for new customers.....	17
Assign customers to configuration items.....	18
Renew APNs certificate.....	19
Android settings.....	21
Host Sophos apps on your web server.....	21
General settings for iPhones and iPads.....	22
Upload profile-signing certificate.....	22
Configure connections to EAS proxy servers.....	23
Configure a connection to the internal EAS proxy server.....	23
Configure a connection to the standalone EAS proxy server.....	23
Configure Network Access Control.....	25
Configure portal access.....	27
Add custom logo.....	28
Configure file upload limits.....	29
Configure app title.....	30
Audit logging.....	31
Enable audit logging.....	31
View audit log.....	31
Create system messages.....	32
Receive Sophos news.....	33
Download server log files.....	34
View system health.....	35
Support.....	36
Legal notices.....	37

1 About this guide

This guide describes how to carry out super administrator tasks in Sophos Mobile Admin for Sophos Mobile on Premise.

For a description of Sophos Mobile Admin for regular administrators, see the [Sophos Mobile administrator help](#). You can also find general information (for example prerequisites) and task descriptions in the [Sophos Mobile administrator help](#).

The descriptions in the administrator help also apply to the super administrator, unless otherwise noted.

For Sophos Mobile in Central, see the [Sophos Mobile in Central startup guide](#) and the [Sophos Mobile in Central administrator help](#).

For Sophos Mobile as a Service, see the [Sophos Mobile as a Service startup guide](#) and the [Sophos Mobile administrator help](#).

2 Super administrator

In Sophos Mobile, a customer is a tenant whose devices are managed. For every customer, one or more administrator accounts exist.

Besides these regular customers and administrators, there is a super administrator customer and a related super administrator. The role of this super administrator is to set up Sophos Mobile after installation and to create and manage customers. The first super administrator account and the super administrator customer are created during Sophos Mobile installation. A super administrator can create additional super administrators later on.

For information on the initial creation of the super administrator and the super administrator customer during installation, see the [Sophos Mobile installation guide](#).

2.1 Super administrator tasks

The following list provides an overview of the tasks that the super administrator can perform. For detailed information see the respective sections of this guide.

The super administrator can:

- Create other super administrator accounts.
- Manage Sophos Mobile licenses.
- Start the **First steps** wizard to perform initial configuration of the Sophos Mobile server.
- Configure technical contact information. Customer administrators can use this as a template for providing contact information for users of the Sophos Mobile Control app and the Self Service Portal.
- Create and manage customers.
- Create reports for all customers.
- Define configuration items like policies, task bundles, apps or settings and then transfer them to customers.
- Renew APNs certificates for all customers in one step.
- Define a default customer for the Self Service Portal login.
- Configure connections to EAS proxy servers.
- Configure connections to third-party Network Access Control systems, to enable network access management for the managed devices.
- Configure access to Sophos Mobile Admin and the Self Service Portal.
- Add a custom logo to the login pages of Sophos Mobile Admin and the Self Service Portal.
- Configure file size limits for uploaded apps and documents.
- Configure the title that is shown in the Sophos Mobile Control app.
- Configure logging of actions by administrators when they are logged in to the web portal.
- Configure system messages that are displayed on the login pages of Sophos Mobile Admin and the Self Service Portal.
- Download server log files.

2.2 Super administrator customer

The super administrator customer offers a specific view of the Sophos Mobile web portal that is adapted to super administrator tasks. The differences are based on these two facts:

- The super administrator does not manage devices or users.
- The super administrator is allowed to configure Sophos Mobile system settings.

2.3 Log in as super administrator

1. Open the Sophos Mobile Admin web address that you configured during installation of Sophos Mobile.
2. In the login dialog, enter the super administrator customer name and the credentials of the super administrator, then click **Login**.

2.4 Switch to a different customer

As super administrator, you can switch from the super administrator customer to a regular customer. The administrator currently logged in and the current customer are displayed in the page header.

To switch to a different customer:

1. In the page header, click the current customer name to open the list of available customers. The super administrator customer is the first item in the list and is marked by an asterisk.
2. Select the customer to whom you want to switch.

The **Dashboard** page for the selected customer is displayed.

Tip

As super administrator, you can switch to a different customer: On the **Customers** page, click the blue triangle next to the customer to whom you want to switch and then click **Choose**.

For a description of Sophos Mobile Admin for regular customers, see the [Sophos Mobile administrator help](#).

2.5 Create additional super administrators

To create additional super administrators for the super administrator customer:

1. On the menu sidebar, under **SETTINGS**, click **Setup > Administrators**.
2. On the **Show administrators** page, click **Create administrator**.
3. Enter the account details for the new super administrator.
 - When **External LDAP directory** is selected as user directory for the super administrator, you can click **Lookup user via LDAP** to select an existing LDAP account.
 - When **Internal directory** or **None** is selected as user directory, enter the relevant data in the **Login name**, **First name**, **Last name**, and **Email address** fields.

4. In the **Role** list, select the **Administrator** user role.
5. Under **Authentication**, set the password for the new super administrator.
For a local account, enter a one-time password that the super administrator must change at first login.
For an LDAP account, you can either use the LDAP password for authentication, or enter a one-time password.
6. Click **Save** to create the super administrator account.

The new super administrator is created and displayed on the **Show administrator** page.

Forward the credentials (login name, super administrator customer name and one-time password) to the relevant person.

3 Sophos Mobile licenses

Sophos Mobile offers two types of licenses:

- Mobile Standard license
- Mobile Advanced license

With a license of type Mobile Advanced you can manage Sophos Intercept X for Mobile, Sophos Secure Workspace, and Sophos Secure Email.

For further information, see the [Sophos Mobile administrator help](#).

As a super administrator, you can activate your purchased licenses in the super administrator customer and assign the required number of licensed users to individual customers.

3.1 Check your licenses

Sophos Mobile uses a user-based license scheme. One user license is valid for all devices assigned to that user. Devices that are not assigned to a user require one license each.

On the menu sidebar, under **SETTINGS**, click **Setup > Sophos setup**, and then click the **License** tab.

The following information is displayed:

- **Number of licenses:** Maximum number of device users (and unassigned devices) of all customers that can be managed.

This field is only present for the super administrator customer.

- **Maximum number of licenses:** Maximum number of device users (and unassigned devices) that can be managed.

This information is only shown for regular customers.

If the super administrator did not set a quota for the customer, the number of licenses is limited by the overall number for the Sophos Mobile server.

- **Used licenses:** Number of licenses in use.
- **Valid until:** The license expiration date.
- **Licensed URL:** The URL of the Sophos Mobile server for which the license is issued.

If you have any questions or concerns regarding the displayed license information, contact your Sophos sales representative.

3.2 Activate Mobile Advanced licenses

With Mobile Advanced licenses you can use Sophos Mobile to manage Sophos Intercept X for Mobile, Sophos Secure Workspace, and Sophos Secure Email.

If Mobile Advanced licenses have not been activated during the initial configuration of Sophos Mobile, the super administrator can activate them later from Sophos Mobile Admin:

1. On the menu sidebar, under **SETTINGS**, click **Setup > Sophos setup**, and then click the **License** tab.
2. Enter your license key in the **Advanced license key** field and click **Activate**.

When the key is activated, the license details are displayed.

3.3 Assign licenses to customers

1. On the menu sidebar, under **MANAGE**, click **Customers**.
2. Click the customer you want to assign licenses to.
3. Configure the license settings:
 - a) In the **Maximum number of licenses** field, enter the number of device users and unassigned devices that can be managed for the customer.
 - b) Select **Advanced licenses** if you want to manage Sophos Intercept X for Mobile, Sophos Secure Workspace, and Sophos Secure Email for the customer.
 - c) In the **Valid until** field, specify the expiration date for the licenses that are assigned to the customer.
After that date, no tasks can be created or processed for the customer.
4. Click **Save**.

4 Configure system settings

When you log in to Sophos Mobile Admin for the first time after installation, the **First steps** wizard assists you in configuring system settings.

You must provide the following:

- The address of your HTTP proxy server (if applicable).
- Your license key for Sophos Mobile.
- Your SSL/TLS certificates.
- The credentials for your SMTP server.

Note

You can change all settings later under **Setup > Sophos setup**.

1. On the **HTTP proxy** page, enter the address and port of a proxy server to be used for outbound HTTP and SSL/TLS connections.
2. On the **License** page, enter your license key or request a trial license:
 - **Standard license key:** Enter your Mobile Standard license key and click **Activate**.
 - **Advanced license key:** Enter your Mobile Advanced license key and click **Activate**. You must enter a Mobile Standard license key first.
 - **Request trial:** Enter the email address you used to download the Sophos Mobile installer from the Sophos website.
3. On the **SSL/TLS** page, configure the SSL/TLS certificates used for securing the connections between the Sophos Mobile server and the clients.
 - a) Click **Auto-discover certificate(s)**.
In most cases the auto-discover function can discover the certificates currently in use.
 - b) If the certificates are not discovered automatically, upload them manually: Click **Upload a file** and select the relevant CER or DER encoded certificate file.

You can configure up to four certificates because, depending on your network architecture, different certificates may be in use for clients connecting from the internet or from your local intranet. The Sophos Mobile server will communicate the list of certificates to the clients. On establishing an SSL or TLS connection, the clients will only trust the server if the presented certificate is included in the list (“Certificate pinning”).

CAUTION

Update the certificate list when you have changed or renewed SSL certificates. At any given time, at least one valid certificate must be available. Otherwise the clients will not trust the server and will not connect to it.

4. On the **SMTP** page, configure the SMTP server information and logon credentials. SMTP must be configured to enable emails to be sent to new users, providing them with logon credentials. It also needs to be configured to enable enrollment through email.

Option	Description
SMTP host	The SMTP server address.

Option	Description
Connection port	<p>The server port to connect to.</p> <p>Note The displayed connection types (TLS, SSL, and unencrypted) only show standard port usages. See the documentation of the SMTP server for guidelines on which port to use.</p>
SMTP user	If required by the SMTP server, enter the name of a user that is allowed to connect.
SMTP password	The password of the SMTP user.
Email originator	The email address that will appear in the From field of emails from Sophos Mobile.
Originator name	<p>The author name that will appear in the From field.</p> <p>If required, you can configure a different originator name (but not email address) for each customer later on. See the Sophos Mobile administrator help.</p>
Send error emails	Sophos Mobile will send error emails, for example when an APNs certificate expires.
New email recipient	Enter email addresses of the recipients that will receive error emails.

Note

Sophos Mobile does not support the OAUTH mechanism for SMTP authentication. Email providers that prefer OAUTH (like for example Google Gmail) might classify sign-in attempts from Sophos Mobile as insecure.

5. After you've configured the SMTP information, click **Send test email** to verify the email configuration.
6. Click **Finish** to complete the **First steps** wizard.

5 Configure IT contact

Provide your IT contact details so that users can get help with questions or problems.

The information you enter here is displayed in the Self Service Portal and on the users' devices.

1. On the menu sidebar, under **SETTINGS**, click **Setup > General**, and then click the **IT contact** tab.
2. Enter the contact information.
3. Click **Save**.

6 Manage customers

After Sophos Mobile installation and setup, a key step required for using Sophos Mobile is to create at least one customer, this means a tenant whose devices are managed in Sophos Mobile.

As a super administrator you use the super administrator customer to create and manage customers for device management with Sophos Mobile.

6.1 Customer overview

On the **Customers** page, an overview of all existing regular customers is displayed, including the information shown below:

Column	Description
Name	The name of the customer.
Status	Indicates if the customer is activated.
Valid until	The expiration date of the customer. The value unlimited is displayed if no expiration date is set. Dates that lie in the past are displayed in red.
Licenses	The maximum number of Sophos Mobile licenses that can be used for the customer. The value unlimited is displayed if no maximum number is set.
Advanced	Indicates if Mobile Advanced licenses are enabled for the customer.
Devices	The number of enrolled devices for this customer.
AND	The number of enrolled Android devices for this customer.
iOS	The number of enrolled iPhones and iPads for this customer.
WM	The number of enrolled Windows 10 Mobile devices for this customer.
Win	The number of enrolled Windows 10 computers for this customer.
Directory	The type of user management that is configured for the customer.

6.2 Create a customer

You must be logged in to Sophos Mobile Admin as a super administrator to perform this task.

1. On the menu sidebar, under **MANAGE**, click **Customers**.
2. Click **Create customer**.
3. On the **Edit customer** page, configure the following settings.

Option	Description
Name	The customer's name.
Description	Text to describe the purpose of the customer account.
Maximum number of licenses	The number of device users and unassigned devices that can be managed for the customer.
Advanced licenses	If selected, the customer can manage Sophos Intercept X for Mobile, Sophos Secure Workspace, and Sophos Secure Email.
Valid until	The expiration date for the licenses that are assigned to the customer. After that date, you cannot create new tasks for devices that are managed for the customer.
Deactivate account	<p>If selected, logging in to that customer is disabled. As super administrator, you can still switch to the customer's view, using the customer list in the page header.</p> <p>A deactivated account can be activated again by deselecting the Deactivate account check box.</p>
Activated platforms	Select the platforms for which devices can be enrolled.
Device privacy settings	<p>Select Allow users to locate devices to enable users to locate their devices if they are lost or stolen.</p> <p>Select Allow admins to locate devices to enable administrators to locate devices.</p> <p>Select Show installed apps to show the installed apps in the device details.</p>
Clone settings	Select the Settings and packages check box if you want all policies, bundles, and packages created in the super administrator account to be available in the customer's account.
User directory	<p>Select the data source for the Self Service Portal (SSP) users to be managed by Sophos Mobile.</p> <p>Choose from:</p> <ul style="list-style-type: none"> • None. No SSP, user-specific policies, or LDAP administrators available.: This disables the creation of user accounts for the Self Service Portal, and the lookup of accounts for Sophos Mobile Admin from an LDAP directory. • Internal directory: Use internal user management for Sophos Mobile Admin and the Self Service Portal. For further information, see the Sophos Mobile administrator help.

Option	Description
	<ul style="list-style-type: none"> • External LDAP directory: In addition to internal user management, you can lookup accounts for Sophos Mobile Admin and the Self Service Portal from an LDAP directory. Click Configure external LDAP to specify the server details. <p>To use federated authentication with Azure Active Directory, select None. No SSP, user-specific policies, or LDAP administrators available..</p> <p>After you've created the customer, configure federated authentication on the customer's Sophos setup page. See the Sophos Mobile administrator help.</p>

4. Click **Save**.

The customer is created.

6.3 Create an administrator for the new customer

1. In the page header, click the current customer name to open the list of available customers, and then select the customer for whom you want to create an administrator account.
2. On the menu sidebar, under **SETTINGS**, click **Setup > Administrators**.
3. On the **Show administrators** page, click **Create administrator**.
4. On the **Edit administrator** page, enter the account details for the administrator.
 - When **External LDAP directory** is selected as user directory for the customer, you can click **Lookup user via LDAP** to select an existing LDAP account.
 - When **Internal directory** or **None** is selected as user directory, enter the relevant data in the **Login name**, **First name**, **Last name**, and **Email address** fields.
5. In the **Role** list, select the **Administrator** user role.
6. In section **Authentication**, set the password for the new super administrator.

For a local account, enter a one-time password that the super administrator must change at first login.

For an LDAP account, you can either use the LDAP password for authentication, or enter a one-time password.
7. Click **Save** to create the administrator account.

The new administrator is created.

Forward the credentials (login name, customer name and one-time password) to the relevant person.

6.4 Edit customer

1. On the menu sidebar, under **MANAGE**, click **Customers**.
2. Click the customer you want to edit.
3. On the **Edit customer** page, make the required changes.
4. Click **Save**.

6.5 Configure external directory connection

To manage user accounts for Sophos Mobile Admin and the Self Service Portal in an external LDAP user directory, you must configure the connection to your LDAP server.

Sophos Mobile can connect to the following LDAP servers:

- **Active Directory**
- **Google Cloud Directory**
- **HCL Domino**
- **NetIQ eDirectory**
- **Red Hat Directory Server**
- **Zimbra**

For supported versions, see the [Sophos Mobile 9.6 release notes](#).

For Active Directory, you can find additional information in [knowledge base article 128081](#).

For Google Cloud Directory, you can find additional information in [knowledge base article 132870](#).

Note

There is no synchronization between the LDAP directory and Sophos Mobile. Sophos Mobile only accesses the LDAP directory to look up user information. Changes to an LDAP user account are not implemented on the Sophos Mobile database, and vice versa.

To configure an LDAP connection to an external user directory:

1. On the menu sidebar, under **MANAGE**, click **Customers**.
2. On the **Customers** page, click the customer for whom you want to configure an LDAP connection.
3. On the **Edit customer** page, under **User directory**, select **External LDAP directory**.
4. Click **Configure external LDAP**.

Configuration depends on the LDAP server type. The following instructions apply to Active Directory.

5. On the **Server details** page, configure the following settings:
 - a) In the **LDAP type** field, select the LDAP server type.
 - b) In the **Primary URL** field, enter the IP address or name of the primary directory server.

Select **SSL/TLS** to use LDAP over SSL (LDAPS) for the server connection.

Note

For Active Directory, LDAPS is mandatory. For information on setting up LDAPS for Active Directory, see the Microsoft document [Step by Step Guide to Setup LDAPS on Windows Server](#).

- c) Optional: In the **Secondary URL** field, enter the IP address or name of a directory server Sophos Mobile uses as fallback in case the primary server isn't available.
- d) In the **User** and **Password** fields, enter the credentials Sophos Mobile uses to authenticate with the LDAP server.

Use one of the following formats:

- <domain>\<user name>
- <user name>@<domain>.<domain code>

Note

For security reasons, we recommend you select an account with no write permissions for the directory.

6. On the **Search base** page, enter the **distinguished name (DN)** of the search base object. The search base object defines the location in the directory from which the LDAP search begins.
7. On the **Search fields** page, configure the attributes of the directory service that contain the user properties Sophos Mobile uses.
Select the attribute names from the list or enter them manually.

Use the following mappings for Active Directory:

Property in Sophos Mobile	Attribute in Active Directory
User name	sAMAccountName
First name	givenName
Last name	sn
Email	mail

8. On the **SSP configuration** page, specify the users that can sign in to the Self Service Portal. Enter the relevant information in the **LDAP directory group** field, using one of the following options:
 - If you enter a user group from your LDAP directory, Sophos Mobile looks up users in that group and all subgroups.
After you've entered the group name, click **Test group** to resolve the group name into a Distinguished Name (DN).
 - If you enter a single asterisk *, Sophos Mobile looks up users in all groups defined in your LDAP directory. It doesn't look up users that aren't a member of any group.
 - If you leave the field empty, no users can sign in to the Self Service Portal. Use this option to turn on external user management for Sophos Mobile Admin but not for the Self Service Portal.

Note

The group you specify here is not related to the user group you define on the **Group settings** tab of the **Self Service Portal** page. With those settings, you define task bundles, Sophos Mobile group membership and available device platforms for each user group.

For further information on the Self Service Portal group settings, see the [Sophos Mobile administrator help](#).

9. Click **Apply**.
10. On the **Edit customer** page, click **Save**.

Related information

- [knowledge base article 128081](#)
- [knowledge base article 132870](#)

[Step by Step Guide to Setup LDAPS on Windows Server \(Microsoft document\)](#)

6.6 Deactivate customer

If a customer is no longer used for device management with Sophos Mobile, you can deactivate it.

1. On the menu sidebar, under **MANAGE**, click **Customers**.
2. Click the blue triangle next to the customer you want to deactivate, and then click **Edit**.
3. On the **Edit customer** page, select **Deactivate account**.

The customer is deactivated. Users managed in this customer can no longer log in to Sophos Mobile Admin or the Self Service Portal. Devices managed in this customer can still synchronize with the Sophos Mobile server.

6.7 Delete customer

You cannot delete a customer as long as there are:

- Devices enrolled with Sophos Mobile.
- Users registered for the Apple Volume Purchase Program (VPP).

1. On the menu sidebar, under **MANAGE**, click **Customers**.
2. Click the blue triangle next to the customer you want to delete, and then click **Delete**.

Note

The **Delete** option is only available when no devices are assigned to the customer.

6.8 Export a list of customers

You can export a list of customers in Microsoft Excel or CSV text format:

1. On the menu sidebar, under **MANAGE**, click **Customers**.
2. Optional: Filter the list of customers by entering a text string in the search field at the top of the customer list.
Only customers that match the search string are displayed. This filter will also be applied to the export.
3. On the **Customers** page, click the **Export** button at the bottom of the customer list.
4. Click one of the four icons to specify the scope and the format of the export. You can choose between these pair of options:
 - Export customers from the current list page or from all pages.
 - Export to Microsoft Excel or to CSV format.



The customer list is saved to your local computer, using the download settings of your web browser.

7 Reports

You can create reports of the items managed by Sophos Mobile.

Note

When you are signed in as a super administrator, reports include information for all customers.

1. On the menu sidebar, under **INFORM**, click **Reports**, and then click the name of the required report.
2. In the **Choose format** dialog, click one of the available icons to select the output format:
 - Click  to export the report to a Microsoft Excel file.
 - Click  to export the report to a CSV file.

The report is saved to your computer.

8 Manage configuration items

As a super administrator you can define configuration items like policies, task bundles or apps and then transfer them to customers.

There are two different transfer types:

- [Clone configuration items for new customers](#) (page 17): The items are transferred by copying and can be edited for the receiving customer.
- [Assign customers to configuration items](#) (page 18): The items are transferred by link and cannot be edited for the receiving customer.

8.1 Clone configuration items for new customers

When a new customer is created, the following configuration items from the super administrator customer can be cloned, that is, transferred by copying:

- Device groups
- Compliance policies
- The settings from these tabs of the **General settings** page:
 - **Password policies**
 - **Android**
 - **iOS**
 - **Windows**
 - **Email configuration**
 - **Technical contact**
- The settings from all tabs of the **Self Service Portal** page.
- The settings from the **APNs** tab of the **Apple setup** page.

The configuration items are always cloned as a whole. You can select if the items will be cloned or not, but you cannot clone individual items.

Note

For information on how to define configuration items, see the [Sophos Mobile administrator help](#).

To clone the configuration items for a new customer:

- Create a new customer as described in [Create a customer](#) (page 11).
Under **Clone settings**, select **Settings and packages**.

The configuration items are transferred to the new customer. They can be edited by the customer administrator.

Note

When **Settings and packages** is selected, the new customer will also be assigned to these items of the super administrator customer:

- Policies
- Task bundles
- Apps and app groups

See [Assign customers to configuration items](#) (page 18).

8.2 Assign customers to configuration items

A customer can be assigned to the following configuration items of the super administrator customer:

- Policies
- Task bundles
- Apps and app groups

When a customer is assigned to a configuration item, the item is transferred to that customer by link, that is, the super administrator customer's original and the assigned customer's version are actually the same item.

Because of this link, a few restrictions must be observed:

- To edit the customer's version of a policy or task bundle, the customer's administrator must duplicate the item. The duplicated version is not linked to the super administrator and can be edited.
- The customer's version of apps and app groups can't be edited.
- When a customer is assigned to an app, the super administrator cannot remove the assignment or delete the app as long as it is used in a task bundle of the customer.
- When a customer is assigned to a task bundle, the super administrator cannot remove the assignment or delete the task bundle as long as that customer uses the task bundle as a compliance action or enrollment package.

Note

For information on how to define configuration items, see the [Sophos Mobile administrator help](#).

To push a configuration item to a customer:

1. From the menu sidebar, open the relevant configuration item for editing.
For example, to assign the customer to an Android task bundle, click **Task bundles > Android**, then click the relevant task bundle.
2. On the **Edit** page of the relevant item, click **Show** next to the **Assigned customers** option.
3. Select one or more customers which will be assigned to the configuration item.
You can also deselect customers that have been assigned to the configuration item before. If a customer appears dimmed, the assignment cannot be removed because the configuration item is used by that customer.
4. On the **Edit** page, click **Save** to assign the selected customers to the configuration item.

8.3 Renew APNs certificate

Prerequisite: You have uploaded a certificate for the Apple Push Notification service (APNs) to Sophos Mobile that is about to be expire and needs to be renewed.

CAUTION

In the Apple portal, it is important that you select the correct APNs certificate for renewal. If you renew the wrong certificate, you might need to re-enroll all iPhones, iPads, and Macs.

Sophos Mobile manages APNs certificates per customer. Even when an APNs certificate is cloned from the super administrator customer to a regular customer when that customer is created, the customer's certificate must be renewed separately when it is about to expire.

To facilitate the renewal of APNs certificates, the super administrator can in one step renew the certificates of all customers that use the same certificate.

1. On the menu sidebar, under **SETTINGS**, click **Setup > Apple setup**, and then click the **APNs** tab.
2. Click **APNs certificate wizard**.
3. On the **Mode** page, click **Renew my APNs certificate**.
4. On the **CSR** page, click **Download certificate signing request**.
This saves the certificate signing request file `apple.csr` to your local computer. The signing request file is specific to the current customer.
5. On the **Apple ID** page, the Apple ID used to create the initial APNs certificate is displayed.
You need this ID to log into the Apple portal.
6. On the **Certificate** page, click **Renew certificate on the Apple portal**.
This opens the Apple Push Certificates Portal.
7. Log in with the Apple ID that was displayed in the wizard.
8. In the Apple Push Certificates Portal, click **Renew** next to your Sophos Mobile APNs certificate.
9. Upload the certificate signing request file `apple.csr` you prepared earlier.
10. Download the `.pem` APNs certificate file and save it to your computer.
11. On the **Upload** page, click **Upload certificate** and then browse for the `.pem` file that you received from the Apple Push Certificates Portal.
12. Click **Save**.
13. On the next page, select one of the following options:
 - Click **Save for all customers concerned** to renew the APNs certificate for the super administrator customer and for customers currently using the same certificate.
 - Click **Save only for super administrator customer** to renew the APNs certificate only for the super administrator customer.

CAUTION

If the following message is shown, you are not renewing the correct certificate:

The topic of the new certificate does not correspond to the old one. If devices have been set up with the previous certificate, they have to be set up again. Do you really want to save your changes?

This message indicates that you are about to create a new APNs certificate with a different identifier. If you confirm the message, all existing iPhones, iPads, and Macs are not manageable any more and you have to re-enroll them.

9 Android settings

On the **Android** tab of the **Android setup** page, you configure settings for Android devices:

- [Host Sophos apps on your web server](#) (page 21).

9.1 Host Sophos apps on your web server

You can host the Android apps users install during enrollment, Sophos Mobile Control and Sophos Intercept X for Mobile, on an internal web server instead of Google Play.

Warning

- This option introduces a security risk. When you host Sophos apps on an internal web server, you must allow app installations from outside Google Play in general.
- Make sure the latest app version is installed on the mobile devices. Regularly upload the newest version from the “Sophos Product Downloads and Updates” web page to your web server and then use a task bundle to install it on the devices.

Note

We suggest you use the web server that is included in Sophos Mobile. To do so, copy the APK file to the `wildfly\tools-content` subdirectory of your Sophos Mobile installation directory.

For general information about how to download Sophos software, see Sophos knowledge base article 111195.

To configure the installation source for Sophos Mobile Control and Sophos Intercept X for Mobile:

1. On the menu sidebar, under **SETTINGS**, select **Setup > Android setup** and then the **Android** tab.
2. Under **Select installation source**, select **Hosted APK file**.
3. Enter the URL of Sophos Mobile Control in **URL of the SMC APK file**.

For example, if you have copied the APK file to the `wildfly\tools-content` subdirectory of your Sophos Mobile installation directory as recommended before, enter this URL:

```
<self_service_portal_address>/tools/smc.apk
```

4. Likewise, enter the URL of the Intercept X app in **URL of the Intercept X for Mobile APK file**.
This requires a Mobile Advanced license.
5. Click **Save**.

Related information

[Sophos Product Downloads and Updates](#)

[Sophos knowledge base article 111195](#)

10 General settings for iPhones and iPads

The super administrator can configure the following settings for iPhones and iPads:

- [Upload profile-signing certificate](#) (page 22).

10.1 Upload profile-signing certificate

You can upload a certificate for signing the Sophos Mobile MDM profile on iOS devices. The certificate must be qualified as digital signature and should be issued by a globally trusted CA.

Note

If you don't upload a profile-signing certificate, the MDM profile is signed with the customer's SMC root certificate. In this case, the MDM profile is initially classified as *untrusted* because it is installed at an earlier stage in the enrollment process than the certificate.

To upload a signing certificate for the MDM profile:

1. Log in to the super administrator customer.
2. On the menu sidebar, under **SETTINGS**, click **Setup > Apple setup**, and then click the **iOS & iPadOS** tab.
3. Under **Profile-signing certificate**, click **Upload certificate (PKCS #12 keystore)** and then browse for the P12 keystore file that contains your certificate.
4. Enter the password for the keystore file and then click **Apply**.
5. Click **Save**.

Subject, fingerprint and expiration date of the uploaded certificate are displayed. You can use this information later to identify the certificate.

11 Configure connections to EAS proxy servers

With Sophos Mobile, you can set up an EAS proxy to filter email traffic from the managed devices to an email server.

There are two types of EAS proxy:

- The internal EAS proxy that is automatically installed with Sophos Mobile. It supports incoming ActiveSync traffic as used by Microsoft Exchange or Lotus Traveler for iPhones, iPads, and Samsung Knox devices.
- A standalone EAS proxy that can be downloaded and installed separately. It communicates with the Sophos Mobile server through an HTTPS web interface.

Note

Because macOS doesn't support the ActiveSync protocol, you can't use the internal or the standalone EAS proxy to filter email traffic coming from Macs.

11.1 Configure a connection to the internal EAS proxy server

You can configure the behavior of the internal EAS proxy.

Do as follows:

1. On the menu sidebar, under **SETTINGS**, click **Setup > Sophos setup**, and then click the **EAS proxy** tab.
2. Under **General**, select **Restrict to Sophos Secure Email** to restrict email access to the Sophos Secure Email app, available for Android and iOS.
3. Under **Internal**, enter the Exchange or groupware server URL in **Exchange/groupware server URL**.
4. Select **Use SSL/TLS** to use a secure connection.
5. Select **Allow EWS requests** to allow mail client requests to the Exchange server's Exchange Web Services (EWS) interface.

Only turn this setting on if you're using Sophos Secure Email on iPhones and iPads.

6. Click **Check connection** to test the connection.
7. Click **Save**.

11.2 Configure a connection to the standalone EAS proxy server

To configure the connection between Sophos Mobile and the standalone EAS proxy, you upload the certificate of the EAS proxy server to Sophos Mobile. The certificate was generated when you configured the EAS proxy instance.

For information on the installation and configuration of the standalone EAS proxy, see the [Sophos Mobile installation guide](#).

Warning

If the EAS proxy service is started before you have uploaded the certificate, Sophos Mobile rejects the connection to the server and the service fails to start.

To upload the certificate of the standalone EAS proxy:

1. On the menu sidebar, under **SETTINGS**, click **Setup > Sophos setup**, and then click the **EAS proxy** tab.
2. Optional: Under **General**, select **Restrict to Sophos Secure Email** to restrict email access to the Sophos Secure Email app, available for Android and iOS.
3. Under **External**, click **Upload a file** and navigate to the certificate file.
If you have set up more than one EAS proxy instance, repeat this for all instances.
4. Click **Save**.
5. In Windows, open the **Services** dialog and restart the **EASProxy** service.

12 Configure Network Access Control

Sophos Mobile includes an interface to third-party Network Access Control (NAC) systems. By configuring connections to NAC systems, you allow them to obtain a list of devices and their compliance states. Also, when you configure Network Access Control as described in this section, you can later define a compliance policy that denies network access when certain compliance rules are violated.

For information on how to define compliance policies, see the [Sophos Mobile administrator help](#).

To configure Network Access Control:

1. On the menu sidebar, under **SETTINGS**, click **Setup > Sophos setup**, and then click the **Network Access Control** tab.
2. Select one of the available NAC integrations from the list:

- **Sophos UTM**

This option enables Sophos UTM integration (for version 9.2 and higher). The integration requires you to set the SMC server URL and admin user credentials in the WebAdmin interface of Sophos UTM, under **Management > Sophos Mobile**. For details, see the *Sophos UTM administration guide*.

- **Cisco ISE**

This option enables Cisco ISE integration. Configure the following settings:

User name	The user name that has to be specified in Cisco ISE. It is used by Cisco ISE to log in to Sophos Mobile.
Password	Enter a password for logging in to Sophos Mobile.
Password confirmation	Repeat the password.
Redirection page for blocked devices	A URL to which devices are redirected if they are not allowed to access the network. We recommend that you use the URL of the Self Service Portal or of an information page with a link to the Self Service Portal.

On Cisco ISE, you must configure the relevant settings so that it uses the URL of the Sophos Mobile server and the credentials that you entered here when connecting to the NAC interface.

- **Check Point**

This option enables Check Point integration (for version R77.10 and higher). Configure the following settings:

User name	The user name that has to be specified in Check Point. It is used by Check Point to log in to Sophos Mobile.
Password	Enter a password for logging in to Sophos Mobile.
Password confirmation	Repeat the password.

In the Check Point Mobile Access Gateway, you must configure some specific settings, as described in the Check Point Support Center article [MDM cooperative enforcement for Mobile clients](#).

- **Web service**

This option allows you to connect a third-party NAC system to the web service interface.

Sophos Mobile offers a RESTful web service interface that delivers MAC addresses and network access status of the managed devices.

A third-party NAC system can connect to that interface by using the login credentials of a Sophos Mobile administrator account.

For implementation details of the web service interface see the [Sophos Mobile Network Access Control interface guide](#).

- **Custom**

This option allows you to configure certificate based access to the NAC interface.

Note

The legacy **Custom** option is deprecated and will be removed in a future release. Use the **Web service** option instead to connect a third-party NAC system to Sophos Mobile.

Click **Upload a file** and navigate to the certificate of the third-party NAC system. The certificate is uploaded and displayed in a table.

A third-party NAC system that presents the certificate to the Sophos Mobile server will gain access to the NAC interface.

3. On the **Network Access Control** tab, click **Save**.

13 Configure portal access

As a super administrator you can configure settings that apply to all customers for Sophos Mobile Admin and the Sophos Mobile Self Service Portal.

1. On the menu sidebar, under **SETTINGS**, click **Setup > Sophos setup**, and then click the **Web portals** tab.
2. Under **Session timeouts**, select the desired time values from the **Admin console** and **Self Service Portal** lists. Sessions will be closed automatically when the user does not interact with the portal for the selected period of time.
3. Under **Admin console**, you can select a default customer for the Sophos Mobile Admin sign-in page.
Users can change the customer when they sign in.
4. Under **Self Service Portal**, configure the appearance of the Self Service Portal sign-in page:
 - a) Under **Customer preselection**, you can select a default customer.
 - b) Clear **Visible and editable** to hide the customer field so that users can't change the default customer.
 - c) Clear **Display password reset link on login page** to hide the **Forgot password?** link.
 - d) Clear **Display link to admin console on login page** to hide the **Switch to Sophos Mobile Admin** link.
5. Under **Allowed access list**, in the input fields of the **Admin console** and **Self Service Portal** sections, enter IP addresses or subnets that are allowed to access the relevant portal. To enable access from any IP address or network, leave the fields empty.
Repeat these steps for all IP addresses or subnets that you want to configure.
 - a) Either enter an IP address or a subnet range in CIDR notation.
For example, enter `192.168.100.0/24` to specify the `192.168.100.0–192.168.100.255` address range.
 - b) Click **Add** to add the IP address or subnet to the list.

CAUTION

If you specify improper addresses, you may lock out yourself from Sophos Mobile Admin. However, you can always access the console from `localhost`, that is from the computer on which the Sophos Mobile server is installed.

6. Click **Save**.

It may take up to 60 seconds for the changes to take effect.

14 Add custom logo

As a super administrator, you can add a custom logo to the login pages of the web console and the Self Service Portal.

The following rules apply for the logo:

- File format must be Portable Network Graphics (PNG).
- Image width should be about 200 pixel to fit the layout of the login pages.
- Image background color should be white or transparent to blend in with the background of the login pages.

To add a custom logo to the login pages:

1. Prepare a PNG file with your custom logo that complies with the rules mentioned earlier.
2. Go to the `wildfly\resources\images` subdirectory of your Sophos Mobile installation directory.

In this directory, there is a file `customer_logo.png`. By default, this file contains an empty placeholder image of size 1 pixel x 1 pixel.

3. Replace the existing file `customer_logo.png` with your custom version.

The custom logo will be displayed above the credential fields of the login pages.

You do not need to restart the Sophos Mobile service to apply the changes. However, users might need to clear the cache of their web browser in order to see the custom logo.

Note

To remove the custom logo and restore the default state of the login pages, replace the file `customer_logo.png` with `customer_logo.png.bak`, which contains a backup copy of the original 1 pixel x 1 pixel placeholder image.

15 Configure file upload limits

You can configure file size limits for uploaded apps and documents. When the administrator uploads app packages or documents to the Sophos Mobile server, files that exceed the configured limits are rejected.

Note

- The limits apply to all customers.
- The limits apply to a single app packages or document. There is no overall limit.
- The limits only apply to future uploads. Files that have been uploaded before the limits are configured are not restricted.

To configure the maximum size of uploaded files:

1. On the menu sidebar, under **SETTINGS**, click **Setup > Sophos setup**, and then click the **File uploads** tab.
2. For each of the available categories, enter the maximum size in megabytes for a single file.
3. Click **Save**.

16 Configure app title

As a super administrator, you can configure the title that is shown in the title bar of the Sophos Mobile Control app. The default title is *Sophos Mobile*.

Note

This setting applies to all customers.

Note

This setting does not change the app name **Control** that is for example shown on the device desktop next to the app icon.

1. On the menu sidebar, under **SETTINGS**, click **Setup > General**, and then click the **SMC app** tab.
2. Under **App title**, select **Use custom app title** to disable the default title.
3. In the **Custom app title** field, enter the app title that you want to use.
4. Click **Save**.

The Sophos Mobile Control app uses the new title once the device synchronizes with the Sophos Mobile server.

17 Audit logging

You can log the actions of users while they are logged in to Sophos Mobile Admin. This includes the following information:

- Date
- Performed action
- User name
- Customer name
- Action details

Note

The audit log also includes all changes to Sophos Mobile database objects in general.

17.1 Enable audit logging

1. On the menu sidebar, under **SETTINGS**, click **Setup > Sophos setup**, and then click the **Audit logging** tab.
2. Select **Enable audit logging**.
3. Click **Save**.
4. Restart the Sophos Mobile service from the menu of the **Sophos Mobile** system tray icon.

17.2 View audit log

1. On the menu sidebar, under **INFORM**, click **Audit logging**.
2. On the **Audit logging** page, use the **From** and **To** fields to specify a time period.
3. Click **Show log**.
All log entries for the time within the specified time period are displayed on the **Audit logging** page.
4. To export the displayed list to a Microsoft Excel or CSV file, click **Export** at the bottom of the list and select the required format.

18 Create system messages

As a super administrator, you can create system messages that are displayed on the login pages of Sophos Mobile Admin and the Self Service Portal. You can use this for example to communicate outage times to users and administrators.

For every message you can configure:

- A start and an end date that define the validity period of the message.
- A severity level that defines how the message is displayed.

To create a system message:

1. On the menu sidebar, under **SETTINGS**, click **Setup > Sophos setup**, and then click the **System messages** tab.
2. Click **Add system message**.
3. Configure the following settings:

Option	Description
Subject	The message subject. When the message is displayed on the login page, only the subject is visible by default.
Severity	Select the severity level (<i>critical</i> , <i>warning</i> or <i>note</i>). The severity is used to tag the message with an appropriate icon.
Start date	The date from which the message is displayed.
End date	The date until which the message is displayed.
Message	The message body. When the message is displayed on the login page, the message body is hidden by default and can be expanded by clicking the subject line. You can use the editor toolbar to apply basic formatting to the text.
Visible for users	If selected, the message is displayed on the login page of the Self Service Portal.
Visible for administrators	If selected, the message is displayed on the login page of the web portal.

4. Click **Apply** to create the message.
5. On the **System messages** tab, click **Save**.

Note

If your message contains a URL, it must start with the protocol declaration `http://` or `https://`.

19 Receive Sophos news

If you are a super administrator, you can receive news, related to Sophos Mobile, from Sophos.

News include the following:

- Release announcements
- Patch announcements
- End-of-life announcements
- Security notifications

Sophos pushes news to your Sophos Mobile server once per day. To read, click **News** on the menu sidebar. News is also sent by email to administrators that are registered for Sophos Mobile error emails.

To register an administrator:

1. On the menu sidebar, under **SETTINGS**, click **Setup > Sophos setup**, and then click the **SMTP** tab.
2. Enter the administrator's email address in the **Email recipients** field.
3. Click **Save**.

20 Download server log files

As a super administrator, you can download the log files of the past five days from the server.

Note

If Sophos Mobile is set up as a cluster of server nodes, only the log files of the current node are available, that is the Sophos Mobile server instance to which the load balancer currently redirects the web portal requests. For information on clustering, see the *Sophos Mobile installation guide*.

To download the server log files:

1. On the menu sidebar, under **SETTINGS**, click **About**.
2. On the **About** page, click the **Download log files** link.
3. Click **Ok**.

A ZIP file containing the log files of the past five days is saved to your local computer, using the download settings of your web browser.

21 View system health

If you are a super administrator, you can view the system health, that is, the status of the Sophos Mobile server and database.

To open the **System health** page:

- On the menu sidebar, under **SETTINGS**, click **Health**.

22 Support

You can find technical support for Sophos products in any of these ways:

- Visit the Sophos Community at community.sophos.com/ and search for other users who are experiencing the same problem.
- Visit the Sophos support knowledge base at www.sophos.com/en-us/support.aspx.
- Download the product documentation at www.sophos.com/en-us/support/documentation.aspx.
- Open a ticket with our support team at <https://secure2.sophos.com/support/contact-support/support-query.aspx>.

23 Legal notices

Copyright © 2020 Sophos Limited. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise unless you are either a valid licensee where the documentation can be reproduced in accordance with the license terms or you otherwise have the prior permission in writing of the copyright owner.

Sophos, Sophos Anti-Virus and SafeGuard are registered trademarks of Sophos Limited, Sophos Group and Utimaco Safeware AG, as applicable. All other product and company names mentioned are trademarks or registered trademarks of their respective owners.