

**Certification
Issued Under the Authority of the
Federal Communications Commission
By:**

**Siemic Inc.
775 Montague Expressway
Milpitas, CA 95035**

**Date of Grant: 01/02/2019
Application Dated: 12/21/2018**

**Sophos Ltd
The Pentagon, Abingdon Science Park
Abingdon, OX14 3YP
United Kingdom**

Attention: Paul Woodward , Global Trade Compliance Manager

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2ACTO-APX120
Name of Grantee: Sophos Ltd
Equipment Class: Unlicensed National Information Infrastructure TX
Notes: Sophos Access Point

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC MO	15E	5180.0 - 5240.0	0.317		
CC MO	15E	5745.0 - 5825.0	0.228		
CC MO ND	15E	5260.0 - 5320.0	0.246		
CC MO ND	15E	5500.0 - 5700.0	0.237		

C2PC to add DFS band via software.

Power listed is the maximum combined conducted output power. Professional installation is required. NII-1 band is restricted to indoor use only. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except the collocation as described in this filing or in accordance with FCC multi-transmitter product guidelines. Operation in 5.15-5.25 GHz band is restricted for indoor usage only. This device has 20 MHz, 40 MHz, 80 MHz and is 2x2 MIMO.

- CC: This device is certified pursuant to two different Part 15 rules sections.
- MO: This Multiple Input Multiple Output (MIMO) device was evaluated for multiple transmitted signals as indicated in the filing.
- ND: This UNII device complies with the Transmit Power Control (TPC) and Dynamic Frequency Selection (DFS) requirements in Section 15.407(h).